ASUS ROG G551JW-CN214D Intel® Core™ i5 i5-4200H Laptop 39.6 cm (15.6") Full HD 8 GB DDR3L-SDRAM 1 TB HDD NVIDIA® GeForce® GTX 960M Wi-Fi 4 (802.11n) FreeDOS Black

Brand : ASUS Product family: ROG Product code: 90NB08B2-

M02600

Product name: G551JW-

CN214D

Intel Core i5-4200H (2.8GHz, 3M Cache), 8GB RAM, 1000GB HDD, Intel HD Graphics 4600 + NVIDIA GeForce GTX 960M, Ethernet, WLAN 802.11, WebCam, DOS

ASUS ROG G551JW-CN214D. Product type: Laptop, Form factor: Clamshell. Processor family: Intel® Core™ i5, Processor: i5-4200H, Processor frequency: 2.8 GHz. Display diagonal: 39.6 cm (15.6"), HD type: Full HD, Display resolution: 1920 x 1080 pixels. Internal memory: 8 GB, Internal memory type: DDR3L-SDRAM. Total storage capacity: 1 TB, Storage media: HDD, Optical drive type: DVD Super Multi. Operating system installed: FreeDOS. Product colour: Black



Design		Ports & interfaces	
Product type * Product colour *	Laptop Black	HDMI ports quantity * Mini DisplayPort quantity	1 1
Form factor *	Clamshell	DVI port	X
Display		Microphone in	✓
Display diagonal *	39.6 cm (15.6")	Combo headphone/mic port	✓
Display resolution *	1920 x 1080 pixels X Full HD	Docking connector	×
Touch screen *		Performance	
HD type		Motherboard chipset	Intel® HM86
LED backlight		Keyboard	
Native aspect ratio	16:9	•	Tauchaad
Display surface	Matt	Pointing device Numeric keypad *	Touchpad 🗸
Processor		Windows keys	·
Processor manufacturer *	Intel	·	•
Processor family *	Intel® Core™ i5 4th gen Intel® Core™ i5 i5-4200H 2 4	Software	
Processor generation		Operating system installed *	FreeDOS
Processor * Processor number of cores		Processor special features	
Processor threads		Intel Wireless Display (WiDi) Technology	✓
Processor boost frequency	3.4 GHz	Intel Anti-Theft Technology	✓
Processor frequency * System bus data transfer rate	2.8 GHz 5 GT/s	Intel Identity Protection Technology	✓
Processor cache	3 MB	Intel Hyper-Threading Technology	✓
Processor cache type	Smart Cache	Intel Turbo Boost Technology	2.0
Processor socket	BGA 1364 22 nm	Enhanced Intel SpeedStep Technology	✓
Processor lithography Processor operating modes	64-bit	Intel Clear Video HD Technology	✓
Processor series	Intel Core i5-4200 Mobile series	Intel® InTru™ 3D Technology	✓
Processor codename	Haswell	Intel® Insider™	✓
Bus type	DMI2	Intel® Quick Sync Video Technology	<i>√</i>
Stepping	CO	Intel® Smart Cache	✓
Thermal Design Power (TDP)	47 W	Intel AES New Instructions	✓

Processor		Processor special features	
Tjunction	100 °C		×
Maximum number of PCI Express lanes	16	Intel VT-x with Extended Page Tables (EPT)	·
PCI Express slots version	3.0	Intel® Secure Key	✓
PCI Express configurations	1x16, 2x8, 1x8+2x4	Intel TSX-NI	×
ECC supported by processor	×	Intel 64	✓
Memory		Execute Disable Bit	✓
Internal memory *	8 GB	Thermal Monitoring Technologies	✓
Internal memory type	DDR3L-SDRAM	Processor package size	37.5 x 32 x 1.65 mm
Memory clock speed Maximum internal memory *	1600 MHz 16 GB	Supported instruction sets	AVX 2.0, SSE4.1, SSE4.2
·	10 GB	Processor code	SR15G
Storage		CPU configuration (max) Embedded options available	1 X
Total storage capacity * Storage media *	1 TB HDD	Intel Virtualization Technology for	
Number of hard drives installed	1	Directed I/O (VT-d)	/
Hard drive capacity Hard drive size	1 TB 2.5"	Intel Identity Protection Technology version	1.00
Optical drive type *	DVD Super Multi	Intel Secure Key Technology version	
Card reader integrated	✓	Intel TSX-NI version	0.00
Compatible memory cards	MMC, Memory Stick (MS), MS PRO, SD, MS PRO Duo, SDXC	Intel Virtualization Technology (VT-x) Processor ARK ID	✓ 75027
Graphics	, , , , , , , , , , , , , , , , , , , ,	Conflict-Free processor	75027 ✓
Discrete graphics card model *	NVIDIA® GeForce® GTX 960M	·	•
Discrete graphics memory type	GDDR3	Battery	•
On-board graphics card *	✓	Number of battery cells Battery performance	6 5200 mAh
Discrete graphics card *	✓	Battery capacity *	56 Wh
On-board graphics card model *	Intel® HD Graphics 4600	Energy Management	
On-board graphics card base		Energy Munagement	
frequency	400 MHz	AC adapter power	120 W
frequency On-board graphics card dynamic		AC adapter power AC adapter output current	120 W 6.3 A
On-board graphics card dynamic frequency (max)	400 MHz 1150 MHz		
On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory		AC adapter output current AC adapter output voltage DC-in jack	6.3 A
On-board graphics card dynamic frequency (max) Maximum on-board graphics card	1150 MHz	AC adapter output current AC adapter output voltage DC-in jack Security	6.3 A 19 V
On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX	1150 MHz 1.74 GB	AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot	6.3 A 19 V
On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version	1150 MHz 1.74 GB 11.1	AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Cable lock slot type	6.3 A 19 V
On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card ID	1150 MHz 1.74 GB 11.1	AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot	6.3 A 19 V Kensington
On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card ID Audio Built-in microphone	1150 MHz 1.74 GB 11.1 0x416	AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Cable lock slot type Password protection Password protection type	6.3 A 19 V Kensington
On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card ID Audio Built-in microphone Camera	1150 MHz 1.74 GB 11.1 0x416 ✓	AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Cable lock slot type Password protection Password protection type Certificates	6.3 A 19 V Kensington BIOS, HDD, User
On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card ID Audio Built-in microphone Camera Front camera	1150 MHz 1.74 GB 11.1 0x416	AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Cable lock slot type Password protection Password protection type	6.3 A 19 V Kensington BIOS, HDD, User RoHS UL, TUV, MIC, CE Marking
On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card ID Audio Built-in microphone Camera Front camera Network	1150 MHz 1.74 GB 11.1 0x416	AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Cable lock slot type Password protection Password protection type Certificates Compliance certificates	6.3 A 19 V Kensington BIOS, HDD, User RoHS UL, TUV, MIC, CE Marking Compliance, BSMI, Australia C-TICK /
On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card ID Audio Built-in microphone Camera Front camera Network Wi-Fi	1150 MHz 1.74 GB 11.1 0x416	AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Cable lock slot type Password protection Password protection type Certificates	6.3 A 19 V Kensington BIOS, HDD, User RoHS UL, TUV, MIC, CE Marking Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST- R, CB, EPEAT, EU Flower, Energy
On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card ID Audio Built-in microphone Camera Front camera Network	1150 MHz 1.74 GB 11.1 0x416	AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Cable lock slot type Password protection Password protection type Certificates Compliance certificates	6.3 A 19 V Kensington BIOS, HDD, User RoHS UL, TUV, MIC, CE Marking Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST-
On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card ID Audio Built-in microphone Camera Front camera Network Wi-Fi Top Wi-Fi standard * Wi-Fi standards Ethernet LAN connection	1150 MHz 1.74 GB 11.1 0x416 Wi-Fi 4 (802.11n) 802.11b, 802.11g, Wi-Fi 4 (802.11n)	AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Cable lock slot type Password protection Password protection type Certificates Compliance certificates	6.3 A 19 V Kensington BIOS, HDD, User ROHS UL, TUV, MIC, CE Marking Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST- R, CB, EPEAT, EU Flower, Energy star, CECP, WEEE, Erp 2013, ROHS,
On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card ID Audio Built-in microphone Camera Front camera Network Wi-Fi Top Wi-Fi standard * Wi-Fi standards Ethernet LAN connection Ethernet LAN data rates	1150 MHz 1.74 GB 11.1 0x416 Wi-Fi 4 (802.11n) 802.11b, 802.11g, Wi-Fi 4 (802.11n) 10,1000,100 Mbit/s	AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Cable lock slot type Password protection Password protection type Certificates Compliance certificates Certification	6.3 A 19 V Kensington BIOS, HDD, User ROHS UL, TUV, MIC, CE Marking Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST- R, CB, EPEAT, EU Flower, Energy star, CECP, WEEE, Erp 2013, RoHS,
On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card ID Audio Built-in microphone Camera Front camera Network Wi-Fi Top Wi-Fi standard * Wi-Fi standards Ethernet LAN connection Ethernet LAN data rates Bluetooth	1150 MHz 1.74 GB 11.1 0x416 Wi-Fi 4 (802.11n) 802.11b, 802.11g, Wi-Fi 4 (802.11n) 10,1000,100 Mbit/s	AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Cable lock slot type Password protection Password protection type Certificates Compliance certificates Certification Sustainability	6.3 A 19 V ✓ Kensington ✓ BIOS, HDD, User ROHS UL, TUV, MIC, CE Marking Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST- R, CB, EPEAT, EU Flower, Energy star, CECP, WEEE, Erp 2013, ROHS, JATE
On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card ID Audio Built-in microphone Camera Front camera Network Wi-Fi Top Wi-Fi standard * Wi-Fi standards Ethernet LAN connection Ethernet LAN data rates Bluetooth Bluetooth version	1150 MHz 1.74 GB 11.1 0x416 Wi-Fi 4 (802.11n) 802.11b, 802.11g, Wi-Fi 4 (802.11n) 10,1000,100 Mbit/s	AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Cable lock slot type Password protection Password protection type Certificates Compliance certificates Certification Sustainability Sustainability certificates	6.3 A 19 V ✓ Kensington ✓ BIOS, HDD, User ROHS UL, TUV, MIC, CE Marking Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST- R, CB, EPEAT, EU Flower, Energy star, CECP, WEEE, Erp 2013, ROHS, JATE
On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card ID Audio Built-in microphone Camera Front camera Network Wi-Fi Top Wi-Fi standard * Wi-Fi standards Ethernet LAN connection Ethernet LAN data rates Bluetooth Bluetooth version Ports & interfaces	1150 MHz 1.74 GB 11.1 0x416 Wi-Fi 4 (802.11n) 802.11b, 802.11g, Wi-Fi 4 (802.11n) 10,1000,100 Mbit/s	AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Cable lock slot type Password protection Password protection type Certificates Compliance certificates Certification Sustainability Sustainability certificates Weight & Dimensions Width Depth	6.3 A 19 V Kensington BIOS, HDD, User ROHS UL, TUV, MIC, CE Marking Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST- R, CB, EPEAT, EU Flower, Energy star, CECP, WEEE, Erp 2013, ROHS, JATE ENERGY STAR 383 mm 255 mm
On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card ID Audio Built-in microphone Camera Front camera Network Wi-Fi Top Wi-Fi standard * Wi-Fi standards Ethernet LAN connection Ethernet LAN data rates Bluetooth Bluetooth version Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A	1150 MHz 1.74 GB 11.1 0x416 Wi-Fi 4 (802.11n) 802.11b, 802.11g, Wi-Fi 4 (802.11n) 10,1000,100 Mbit/s	AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Cable lock slot type Password protection Password protection type Certificates Compliance certificates Certification Sustainability Sustainability certificates Weight & Dimensions Width Depth Height (front)	6.3 A 19 V ✓ Kensington ✓ BIOS, HDD, User RoHS UL, TUV, MIC, CE Marking Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST- R, CB, EPEAT, EU Flower, Energy star, CECP, WEEE, Erp 2013, RoHS, JATE ENERGY STAR 383 mm 255 mm 2.8 cm
On-board graphics card dynamic frequency (max) Maximum on-board graphics card memory On-board graphics card DirectX version On-board graphics card ID Audio Built-in microphone Camera Front camera Network Wi-Fi Top Wi-Fi standard * Wi-Fi standards Ethernet LAN connection Ethernet LAN data rates Bluetooth Bluetooth version Ports & interfaces	1150 MHz 1.74 GB 11.1 0x416 Wi-Fi 4 (802.11n) 802.11b, 802.11g, Wi-Fi 4 (802.11n) 10,1000,100 Mbit/s 4.0	AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Cable lock slot type Password protection Password protection type Certificates Compliance certificates Certification Sustainability Sustainability certificates Weight & Dimensions Width Depth	6.3 A 19 V Kensington BIOS, HDD, User ROHS UL, TUV, MIC, CE Marking Compliance, BSMI, Australia C-TICK / NZ A-Tick Compliance, CCC, GOST- R, CB, EPEAT, EU Flower, Energy star, CECP, WEEE, Erp 2013, ROHS, JATE ENERGY STAR 383 mm 255 mm

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.