



DELL Studio XPS 13 Intel® Core™ 2 Duo P7350 33,8 cm (13.3") 4 GB DDR3-SDRAM 320 GB NVIDIA GeForce 9400M G Windows Vista Home Premium Sort

Merke : DELL

Produktkode: BLK-34270098

Produktnavn : Studio XPS 13

DELL Studio XPS 13. Prosessorfamilie: Intel® Core™ 2 Duo, Prosessormodell: P7350, Prosessorfrekvens: 2 GHz. Skjermdiagonal: 33,8 cm (13.3"), Skjermopløsning: 1366 x 768 piksler. Internminne: 4 GB, Internminnetype: DDR3-SDRAM. Total lagringskapasitet: 320 GB, Optisk stasjonstype: DVD-RW. Diskret grafikkadaptermodell: NVIDIA GeForce 9400M G. Operativsystemprogramvare 04: Windows Vista Home Premium. Produktfarge: Sort. Vekt: 2,2 kg



Design		Software	
Produktfarge *	Sort	Operativsystemprogramvare 04 *	Windows Vista Home Premium
Skjerm		Proseszor spesielle funksjoner	
Skjermdiagonal *	33,8 cm (13.3")	Intel® Wireless Display (Intel® WiDi)	×
Skjermopløsning *	1366 x 768 piksler	Intel® My WiFi Technology (Intel® MWT)	×
LED-baklys	✓	Intel® Anti-Theft Technology (Intel® AT)	×
Naturlig sideforhold	16:9	Intel® Hyper Threading Technology (Intel® HT Technology)	×
Skjermoverflate	Gloss	Intel® Turbo Boost Technology	×
Proseszor		Enhanced Intel SpeedStep Technology	✓
Proseszorprodusent *	Intel	Intel® Clear Video HD Technology (Intel® CVT HD)	×
Prosesсорfamilie *	Intel® Core™ 2 Duo	Intel klar video teknologi	×
Prosesсорmodell *	P7350	Intel® InTru™ 3D Technology	×
Prosesсорkjerner	2	Intel® Insider™	×
Prosesсорtråder	2	Intel® Quick Sync Video Technology	×
Prosesсорfrekvens *	2 GHz	Intel® Flex Memory Access	×
Processor cache	3 MB	Intel® AES New Instructions (Intel® AES-NI)	×
Cachetype prosessor	L2	Intel® Trusted Execution Technology	×
Prosesсорstøpsel	Socket 479	Intel® Enhanced Halt State	×
Prosesсор forsidebuss	1066 MHz	Intel® VT-x with Extended Page Tables (EPT)	×
Prosesсорlitografi	45 nm	Intel® Demand Based Switching	×
Prosesсорens driftmoduser	64-bit	Intel® Clear Video Technology for Mobile Internet Devices (Intel® CVT for MID)	×
Prosesсорserier	Intel Core 2 Duo P7000 Series	Intel® 64	✓
Kodenavn prosessor	Penryn		
Busstype	FSB		
FSB-paritet	×		
Stigning	R0		
Thermal Design Power (TDP)	25 W		
Antall Processing Die-transistorer	410 M		
Processing Die-størrelse	107 mm²		
EEC støttet av prosessor	×		

Minne		Proseszor spesielle funksjoner	
Internminne *	4 GB	Execute Disable Bit	✓
Internminnetype	DDR3-SDRAM	Thermal Monitoring Technologies	✗
Maksimalt internminne *	8 GB	Proseszorpakkestørrelse	35 x 35 mm
Lagringsmedium		Prosesorkode	SLGE3
Total lagringskapasitet *	320 GB	Integrerte alternativer tilgjengelige	✗
Antall installerte harddisker	1	Intel Virtualisering Technology for Directed I/O (VT-d)	✗
HDD-grensesnitt	SATA	Intel® Virtualization Technology (VT-x)	✗
HDD-hastighet	7200 RPM	Intel® Dual Display Capable Technology	✗
Optisk stasjonstype *	DVD-RW	Intel® FDI Technology	✗
Innebygd kortleser	✓	Intel® Rapid Storage Technology	✗
Minnekortenhhet	Memory Stick (MS), MMC, MS PRO, SD, SDHC, xD	Intel® Fast Memory Access	✗
Grafikk		Processor ARK ID	36750
Diskret grafikkadaptermodell *	NVIDIA GeForce 9400M G	Konfliktfri prosessor	✗
Diskret grafikkadapter *	✓	Battery	
Audio		Antall battericeller	6
Lydsystem	HD	Energihåndtering	
Antall innebygde høyttalere	2	AC-adapter energitap	56 W
Høyttalerstrøm	2 W	DC-inngangskontakt	✓
Kamera		Sikkerhet	
Frontkameraoppløsning (numerisk)	1,3 MP	Kabellåsport	✗
Nettverksbygging		Bærekraft	
Wi-Fi	✓	Bærekraftsertifikater	ENERGY STAR
Nettverksgrensesnitt	Gigabit Ethernet	Vekt og dimensjoner	
Bluetooth	✓	Bredde	319 mm
Bluetooth-versjon	2.0+EDR	Dybde	236,1 mm
Kablingsteknologi	10/100/1000BASE-T(X)	Høyde (fremdel)	2,25 cm
Tilkoblingsevne		Høyde (bakdel)	3,43 cm
Antall USB 2.0-porter *	2	Vekt *	2,2 kg
Antall eSATA-porter	1	Emballasjeinnhold	
Antall ethernet- /bredbåndstilkoblinger (RJ-45)	1	AC-adapter bunt *	✓
Antall HDMI-porter *	1	Andre funksjoner	
Antall DisplayPorts	1	Infrarød dataport	✗
DVI-port	✗	Grafikkadapterfamilie	NVIDIA
Antall VGA (D-Sub)-porter	1	Modell/Type	PC
Antall IEEE 1394/Firewire-porter	1	Display	LCD
Hodetelefonutganger	1	Type strømforsyning	AC/DC
S/PDIF-utport	✗	Samsvar med industristandarder	IEEE 802.3, IEEE 802.3u, IEEE 802.3ab
Mikrofon, linje-inn-støpsel	✓	TV-inngang	✗
Dokkingtilkobling	✗	Wake-on-LAN-forberedt	✓
ExpressCard-port	✓	Innebygd modem	✗
Type CardBus PCMCIA-port	✗	Innebygd TV-mottaker	✗
SmartCard-port	✗	Tastatur	
TV-ut	✗	Pekeenhet	Berøringsplate

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.