



MSI H61M-P31/W8 motherboard Intel® H61 LGA 1155 (Socket H2) micro ATX

Brand : MSI


Article code: H61M-P31/W8

Product name : H61M-P31/W8



Intel LGA 1155, Intel H61 (B3), 2 x DIMM DDR3 1066/1333 DRAM max. 16GB, 1 x PCI Express gen3 x16, 1 x PCI Express gen2 x1, SATAII, Realtek ALC887 8 ch., Gigabit Ethernet, M-ATX

MSI H61M-P31/W8. Processor manufacturer: Intel, Processor socket: LGA 1155 (Socket H2), Compatible processor series: Intel® Celeron® G, Intel® Pentium®. Supported memory types: DDR3-SDRAM, Maximum internal memory: 16 GB, Memory slots type: DIMM. Supported storage drive interfaces: SATA II. Maximum graphics card memory: 1759 MB. Ethernet interface type: Gigabit Ethernet, LAN controller: Realtek RTL8111E



Processor		Internal I/O	
Processor manufacturer *	Intel	Chassis intrusion connector	✓
Processor socket *	LGA 1155 (Socket H2)	Parallel connector	✓
Compatible processor series *	Intel® Celeron® G, Intel® Pentium®	Rear panel I/O ports	
Memory		USB 2.0 ports quantity *	6
Supported memory types *	DDR3-SDRAM	Ethernet LAN (RJ-45) ports *	1
Number of memory slots *	2	PS/2 ports quantity	2
Memory slots type	DIMM	VGA (D-Sub) ports quantity *	1
Memory channels	Dual-channel	DVI-D ports quantity *	1
Memory voltage	1.5 V	Headphone outputs	1
Supported memory clock speeds	1066,1333 MHz	Microphone in	✓
Maximum internal memory *	16 GB	Network	
Unbuffered memory	✓	Ethernet LAN	✓
Storage controllers		Ethernet interface type	Gigabit Ethernet
Supported storage drive interfaces *	SATA II	LAN controller	Realtek RTL8111E
Graphics		Features	
Maximum graphics card memory	1759 MB	Motherboard chipset *	Intel® H61
Parallel processing technology support *	Not supported	Audio chip	Realtek ALC887
On-board graphics card	✗	Audio output channels *	7.1 channels
DirectX version	10.1	Component for *	PC
Internal I/O		Motherboard form factor *	micro ATX
USB 2.0 connectors *	2	Motherboard chipset family *	Intel
Number of SATA II connectors	4	Power source type	ATX
Front panel audio connector	✓	Expansion slots	
ATX Power connector (24-pin)	✓	PCI Express x1 slots	1
Number of EATX power connectors	1	PCI Express x16 slots	1
CPU fan connector	✓	PCI Express slots version	2.0, 3.0
Number of chassis fan connectors	2	BIOS	
		BIOS type *	UEFI
		Clear CMOS jumper	✓

Weight & dimensions

Width	8.9" (226 mm)
Depth	6.81" (173 mm)



0163120880577



163120880577



0132018268384



132018268384

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.