



## DELL Optiplex 790 英特尔®酷睿™ i5 i5-2400 4 GB DDR3-SDRAM 320 GB Windows 7 Professional 台式 PC 规格表

品牌 : DELL

型号 : P790-6931

系列 : Optiplex 790

DELL Optiplex 790. 处理器: 3.1 GHz, 处理器: 英特尔®酷睿™ i5, 型号: i5-2400. 内存: 4 GB, 内存: DDR3-SDRAM, 频率: 1333 MHz. 存储: 320 GB, 接口: DVD-ROM. 操作系统: 英特尔® HD 2000. 操作系统: Windows 7 Professional, 位数: 64-bit. 功率: 250 W. 接口: 台式. 接口: PC 规格表. 接口: 台式



| 规格             |                                   | 规格                 |                        |
|----------------|-----------------------------------|--------------------|------------------------|
| 处理器 *          | Intel                             | PCI Express x16 接口 | 1                      |
| 处理器 *          | 英特尔®酷睿™ i5                        | PCI 接口             | 1                      |
| 处理器            | 英特尔®酷睿™ i5 系列                     |                    |                        |
| 型号 *           | i5-2400                           |                    |                        |
| 核心数            | 4                                 | 显示器 *              | 1                      |
| 核心数            | 4                                 | 3.5" 显示器           | 1                      |
| 主频             | 3.4 GHz                           | 5.25" 显示器          | 1                      |
| 睿频 *           | 3.1 GHz                           | 接口 *               | 1                      |
| 接口             | LGA 1155 (Socket H2)              |                    |                        |
| 缓存             | 6 MB                              | 接口                 | 英特尔® Q65 Express 接口    |
| 接口             | 接口                                | 接口 *               | PC 规格表                 |
| 接口             | 5 GT/s                            |                    |                        |
| 接口             | DMI                               |                    |                        |
| FSB 接口         | ×                                 | 接口                 | 64-bit                 |
| 接口             | 32 nm                             | 接口 *               | Windows 7 Professional |
| 接口             | 64-bit                            |                    |                        |
| 接口             | Intel Core i5-2400 Desktop Series |                    |                        |
| 接口codename     | Sandy Bridge                      | 接口@接口(WiDi)接口      | ×                      |
| 接口(TDP)        | 95 W                              | 接口@64              | ✓                      |
| 接口             | 72.6 °C                           | 接口@SpeedStep 接口    | ✓                      |
| PCI Express 接口 | 2.0                               | 接口@接口              | ✓                      |
| PCI Express 接口 | 16                                | 接口@ InTru™ 3D 接口   | ✓                      |
| 接口             | 1                                 | 接口@ 接口™            | ✓                      |
| 接口             | 31                                | 接口@接口              | ✓                      |
| 接口             | 32 GB                             | 接口@ 接口             | ×                      |
| 接口             | DDR3-SDRAM                        | 接口(EPT) 接口@ VT-x   | ✓                      |
| 接口             | 1066,1333 MHz                     | 接口                 | ✓                      |
| 接口             | 21 GB/s                           | 接口                 | ✓                      |
| 接口 ECC 接口      | ×                                 | 接口@AES 接口          | ✓                      |
|                |                                   | 接口@接口              | ✓                      |
| 接口             | 4 GB                              | 接口                 | ✓                      |
| 接口 *           | 16 GB                             | 接口@ FDI 接口         | ✓                      |
| 接口 *           | DDR3-SDRAM                        | 接口@ Flex 接口        | ✓                      |
| 接口             | 2 x 2 GB                          | 接口@ 接口             | ✓                      |
| 接口             | 4x DIMM                           | 接口@ 接口             | ✓                      |
| 接口             | 1333 MHz                          | 接口@ 接口             | ✓                      |
| 接口             | 接口                                | 接口@接口              | ×                      |
|                |                                   | 接口@MID 接口          | ×                      |
| 接口 *           | 320 GB                            | 接口                 | 37.5 x 37.5 mm         |

| Storage              |                      | Security                |         |
|----------------------|----------------------|-------------------------|---------|
| Optical Drive *      | DVD-ROM              | AVX                     |         |
| Storage Capacity     | 1                    | CPU Cores               | 1       |
| Storage              | 320 GB               | Intel® VT-d             | ✓       |
| Storage Interface    | SATA III             | Intel® IPT              | 1.00    |
| Storage Speed        | 7200 RPM             | Intel® VT-x             | ✓       |
| Storage Status       | ✓                    | Intel® vPro             | ✓       |
| Graphics             |                      | Performance             |         |
| GPU *                | ✓                    | Intel® vPro             | ✗       |
| GPU Model *          | Intel® HD Graphics   | Intel® ARK ID           | 52207   |
| GPU Memory           | Intel® HD 2000       | Intel® Turbo Boost      | 2.0     |
| GPU Speed            | 850 MHz              | Intel® vPro             | ✗       |
| GPU Max Temp (°C)    | 1100 MHz             | Intel® vPro             | ✓       |
| GPU Max Power (W)    | 2                    | Intel® vPro             | ✗       |
| GPU Max Temp (°C)    | 0x102                | Intel® vPro             | ✗       |
| Networking           |                      | Power                   |         |
| Network Adapter *    | ✓                    | Power Supply            |         |
| Network Speed        | 10,100,1000 Mbit/s   | Power *                 | 250 W   |
| Network Type         | 10/100/1000Base-T(X) | Compliance              |         |
| Ports & Connectors   |                      | RoHS                    |         |
| USB2.0 Ports *       | 10                   | CECP, TCO 05, WEEE      |         |
| VGA/D-SUB Ports      | 1                    | Energy Efficiency       |         |
| DVI                  | ✗                    | EPEAT Gold, ENERGY STAR |         |
| DisplayPort          | 1                    | Dimensions              |         |
| PS/2 Ports           | 2                    | Height *                | 102 mm  |
| Serial (RJ-45) Ports | 1                    | Width *                 | 410 mm  |
| Serial/USB Ports     | ✓                    | Depth *                 | 360 mm  |
| Serial Ports         | 2                    | Weight *                | 7.56 kg |
| Serial Line-out      | ✓                    | Environmental           |         |
| Serial               | 1                    | RoHS                    | ✗       |
| Expansion            |                      | CECP                    | ✗       |
| PCI Express x 1      | 1                    | Security                |         |
|                      |                      | TPM                     |         |
|                      |                      | Gigabit Ethernet        |         |
|                      |                      | Intel                   |         |

## Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.